

Intersteril[®] PRODUCT INFORMATION SHEET





Intersteril

Proved effective against:

- Bactericide, Viricide, Fungicide
- High cleaning efficiency
- Can be sprayed, foamed and fogged
- Breaks through biofilm (APHA 2017 tests)
- Lower odour

Powerful, Fast-Acting, Year-Round Disinfection! Ideal for use in the agricultural and horticultural industries. Disinfection of building's surfaces, boot dip and wheel baths, clusters.

ACTIVE INGREDIENTS: Peracetic acid, Acetic acid, Hydrogen peroxide.

DEFRA Approvals:

General Orders	0.2%	(1:500)	30 min
Poultry Orders	0.2%	(1:500)	30 min
Foot and Mouth	0.1%	(1:1000)	30 min

DVG Approvals:

Special bacterial	0.2%	30 min
Routine bacterial	0.2%	30 min
Non-enveloped viruses	0.2%	60 min
Enveloped viruses	0.2%	30 min

European Approved Dilution Rates:

Bacteria	(EN1656/14349)	0.25%	30 min
Viruses	(EN14675)	0.05%	30 min
Yeast	(EN1657/16438)	0.25%	30 min
Fungi	(EN1657/16438)	0.25%	30 min
Mycobacteria	(EN14204)	1.50%	60 min

To use Intersteril as a standard 5% peracetic, first dilute 1 in 3 with water.

Intersteril has been independently tested and shown to be effective against the disease causing organisms:

Pig:

Swine Fever, Aujeszky's Disease, Dysentery, Porcine Parvovirus Infection, Enterotoxaemia, FMD, Swine Vesicular Disease, Salmonellosis.

Poultry:


Marek's Disease, Newcastle Disease, Salmonellosis, Infectious Bronchitis, Pasteurellosis, Avian Coryza, Avian Rhinotracheitis, Avian Influenza.

Cattle: FMD, IBR/IPV, BVD/MD, Bovine Influenza.

Eco friendly: Intersteril breaks down to water, oxygen and naturally occurring acetic acid - InfoXgen listed.

Works at low temperatures: DEFRA tested at 4°C.

Disinfects in presence of organic matter: DVG tested on absorbent surfaces and in presence of organic matter.



Intersteril[®] is supplied by Hysolv[®] Ltd. Wells, Somerset and manufactured in Germany by Interhygiene GmbH. For further information please contact info@hysolv.com, or see our website www.hysolv.com or call 01749 599781.



Intersteril[®] PRODUCT INFORMATION SHEET



INSTRUCTIONS FOR USE

Application rates:

GENERAL HOUSING DISINFECTION	0.20%	(1:500)
SALMONELLA DISINFECTION	0.75%	(1:133)
BOOTDIP DISINFECTION	0.2% - 4%	(1:500 – 1:250)
FOOT & MOUTH DISINFECTION	0.10%	(1:1000)

30-minute contact time 30-minute contact time CHANGE BOOTDIP DAILY 30-minute contact time

DISINFECTION RATES FOR SPECIFIC DISEASE ISSUES

Special bacterial disinfection (DVG)	0.75%	(1:133)	30-minute contact time
Special viral disinfection (EN14675)	1.00%	(1:100)	30-minute contact time
Yeast disinfection (EN1657/16438)	0.25%	(1:400)	30-minute contact time
Fungi disinfection (1657/16438)	1.00%	(1:100)	30-minute contact time
Mycobacteria disinfection TB (EN14204)	1.50%	(1:670)	60-minute contact time

Note: Intersteril can be applied using high pressure spraying equipment at a rate of 200 to 300ml per m² using a wide angle jet nozzle at 300 to 1000 psi.

Dilute Intersteril using the appropriate application rate shown in the table above.

Important: Do not use Intersteril on non-ferrous metals, or unprotected iron.

End-of-cycle disinfection

- De-stock house
- Treat house against beetles (if necessary)
- Remove litter/bedding
- Remove portable equipment
- Dry clean the house
- Clean thoroughly with a high pressure cleaner + detergent
- Leave to dry (at least 3 hours)
- Replenish footbaths/tread mats with disinfectant
- Close the building's doors, vents etc
- Apply Intersteril on floors, walls, ceilings, fan housing/shafts, air-intakes, feeders and drinkers.
- Read and follow the product label instructions carefully
- Leave to dry at least 2 hours, or preferably overnight
- Prepare house for re-stocking
- Re-stock

Non data sheet information: Intersteril is routinely used at a 0.5% dilution for dipping eggs used in vaccine production.

When using/working with concentrated disinfectants do not eat, drink or smoke. Avoid contact with eyes skin and clothing. Wear the recommended protective clothing and equipment - see below:

Breathing protection	Respirator, filter ABEK2-P3
Hand protection	Protective rubber gloves e.g. Nitril
Eye protection	Glasses with side protection, or Basket eye glasses

Wash hands after work. * Defra approved rates

Pack size:

25kg

Use Biocides Safely.

Always read the label and product information before use!

Intersteril[®] is supplied by Hysolv[®] Ltd. Wells, Somerset and manufactured in Germany by Interhygiene GmbH. For further information please contact info@hysolv.com, or see our website www.hysolv.com or call 01749 599781.